

सिद्दिचरण नगरपालिका

नगर कार्यपालिकाको कार्यालय

ओखलढुङ्गा

पत्र संख्याः ०७७/०७८ चलानी नं

१ नं. प्रदेश, नेपाल मितिः २०७७।०६।२९

उत्पादक वा अधिकृत विक्रेताद्वारा निर्धारित दरमा (क्यटलग सपिङ्) विधिबाट सवारी साधन <u>खरिद गर्ने सम्बन्धी सूचना</u>।

(प्रथम पटक प्रकाशित मितिः २०७७/०६/२९)

सार्वजिनक खिरद ऐन २०६३, को दफा ८ को उपदफा (क) को ८, सार्वजिनक खिरद नियमावली २०६४ को नियम ३१ख. तथा उत्पादक वा अधिकृत विक्रेताद्वारा निर्धारित दरमा (क्यटलग सिपङ्) खिरद गर्ने कार्यविधि, २०७४ बमोजिम उत्पादक कम्पनी वा सोको आधिकारिक विक्रेताहरुबीच मात्र प्रतिस्पर्धा गराई क्याटलग सिपङ् विधिबाट यस कार्यालयको लागि सवारी साधन (अफरोड मोटरसाइकल) खिरद गर्नुपर्ने भएकोले इजाजत प्राप्त इच्छुक उत्पादक, कम्पनी वा त्यसको आधिकारिक बिक्रेताहरुबाट फर्म दर्ता प्रमाण पत्र, एजेन्सी दर्ता प्रमाण पत्र, मूल्य अभिवृद्धि कर दर्ता प्रमाण पत्र र आ.व.०७६/०७७ को कर चुक्ताको प्रमाणपत्र समावेश गरी सार्वजिनक खिरद नियमावली २०६४ को नियम ३१ख. को उपनियम २ अनुसार तोकिएको स्पेसिफिकेशन, गुणस्तर, कम्पनीको मूल्य खुल्ने कागजात र सुविधा सिहतको बिवरण (क्याटलग/ब्रोसर) समेत संलग्न गरी सूचना प्रकाशित भएको मितिले ७ (सात) दिनको कार्यालय समयभित्र यस कार्यालयमा निवेदन दर्ता गर्न हुन सम्बन्धित उत्पादक वा आधिकारिक बिक्रेताको जानकारीको लागि यो सूचना प्रकाशित गरिएको छ । निवेदन दर्ता गर्ने अन्तिम दिन सार्वजिनक बिदा परेमा त्यसपछि कार्यालय खुल्ने दिन निवेदन दर्ता गर्न सिक्रेन छ ।

खरिद गरिने सवारी साधनको स्पेसिफिकेशन सम्बन्धी जानकारी यस कार्यालयको वेवसाइट siddhicharanmun.gov.np बाट लिन सिकनेछ । थप जानकारीको लागि ९८४२९३१२२५ मा सम्पर्क गर्न सिकनेछ ।



सिद्धिचरण नगरपालिका

नगर कार्यपालिकाको कार्यालय, ओखलढुङ्गा

मिति २०७७/०६/२९

Technical specification

Bike:1	Qty:1
--------	-------

Bike		Qty:1	Damade
S. No.	CRITERIA	DEPARTMENTAL REQUIRMENT	Remarks
1	General	Motorcycle of sturdy design, suitable for driving on rough road	
2	Engine	Petrol engine, 184 cc, maximum net power not less than 15.7 hp@8500 rpm, maximum net torque not less than 15.7Nm @6000 Rpm with air cooled, single cylinder, SOHC engine for efficient running of motorcycle & compression ratio 9.5:1	
3	Dimensions & others	length*breadth*height: 2075*812*1124 mm wheel base: 1351 mm ground clearance: not less than 245 mm wight of kerb: 123 kg Fuel tank capacity: not less than 12 L	,
4	Transmission	Electric engine and kick start facility, 5 speed manual gear in gear shift pattern of 1-N -2-3-4-5	
5	Brake & tyres	Brakes Rear: 110mm, leading/trailing drum Front: 240mm hydraulic disc with dual piston calliper tyres front: 90/90(19 inch) rear: 110/90, (17 inch)	
6	Frame suspension & others	steel twin tube frame, front suspension with telescopic fork, 161mm axle travel & rear suspension with mono shock swing arm, 151 mm axle travel	
7	Essential Accessories	1 Headlight, rear and turn signal lights 2 Two rear view mirror 3 Full helmet and helmet lock 4 Safety lock for steering	
8	Instructions	All signs and instructions in the equipment shall be in English.	
9	Manuals	One copy of the operator's an owner instructions and maintenance manual in English shall be supplied.	1
10	Color	Standard color	
11	Tools	A set of tools as required for general maintenance shall be supplied with in a lockable tool box.	
12	Proven performance	The motor cycle offered shall be a current model under standard production by the manufacturer for at least one year. The biddef shall provide the manufacturer's data of the	
		performance of the unit to include the fuel consumption, performance curve of the engine etc.	
13	Warranty & service facilities	Manufacturer shall provide a minimum 1 year warranty and five (5) Times free service after delivery.	
14	Emission Standard	The emission standard of the vehicle should be capable of meeting applicable "Nepal Vehicle Mass Emission Standard 2069" which must be certified by Department of Transport Management, Nepal	
15	Delivery	The motorcycle shall be delivered to Siddhicharan municipality office of the municipal executive, Okhaldhunga	





सिद्धिचरण नगरपालिका.

नगर कार्यपालिकाको कार्यालय, ओखलढुङ्गा

मिति २०७७/०६/२९

Bike :2		Qty:1

Bike		Qty:1	Company
S. No.	CRITERIA	DEPARTMENTAL REQUIRMENT	OFFERED SEPCIFICATION
1	General	Motorcycle of sturdy design, suitable for driving on rough road	
2	Engine	petrol engine, 199.6 cc, maximum power not less than 13.3	1
		hp@8500 rpm ,maximum net torque not less than 16.45Nm @6500	
		Rpm with oil cooled, 4 stroke 2 valve single cylinder, OHC engine	
		for efficient running of motorcycle & compression ratio 10:01	
3	Dimensions	length*breadth*height: 2222*850*1258 mm	
	& others	wheel base: 1410 mm	
	A s	seat height: 823 mm	
		ground clearance: not less than 220 mm	
		wight of kerb: 157 kg	
		Fuel tank capacity: not less than 12 L	2
4	Transmission	electric engine and kick start facility,	
		5 speed constant mesh gear in shift pattern of 1-N -2-3-4-5	
5	Brake & tyres	brakes	
		Rear: 220mm petal disc	
		Front: 276mm petal disc, single channel ABS	
		tyres	
		front: 90/90(21 inch)	
		rear: 120/80, (18 inch)	
6	Frame	Tubular diamond frame, front suspension with telescopic (37 mm	
	suspension &	dia) with double DU bush (190 mm stroke) & rear suspension with	
	others	10 step rider adjustable monoshock.	
		Clutch : Multi plate wet clutch	
		Speedometer: LCD instrument panel with smart phone enabled	
		navigation	
7	Essential	1 Headlight(full LED), rear and turn signal lights	
	Accessories	2 Two rear view mirror	
		3 Full helmet and helmet lock	
		4 Safety lock for steering	
8	Instructions	All signs and instructions in the equipment shall be in English.	
9	Manuals	One copy of the operator's an owner instructions and maintenance	
10	0.1	manual in English shall be supplied.	-
10	Color	Standard color	
11	Tools	A set of tools as required for general maintenance shall be supplied	
12	Durane	with in a lockable tool box.	
12	Proven	1. The motor cycle offered shall be a current model under standard	
	performance	production by the manufacturer for at least one year.	
	30	2. The biddef shall provide the manufacturer's data of the	
		performance of the unit to include the fuel consumption,	,
12	Waynert P-	performance curve of the engine etc.	-
13	Warranty &	Manufacturer shall provide a minimum 1 year warranty and five (5)	
	service	Times free service after delivery.	
1.4	facilities	The anti-size standard of the salidate to the salidate of the	-
14	Emission	The emission standard of the vehicle should be capable of meeting	
	Standard	applicable "Nepal Vehicle Mass Emission Standard 2069" which	
1.5	Daliana	must be certified by Department of Transport Management, Nepal	-
15	Delivery	The motorcycle shall be delivered to Siddhicharan municipality,	~
		office of the municipal executive, Okhaldhunga	



